

Attorney's Docket 081468-0308684  
Client Reference: P-1525.010-US

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re PATENT APPLICATION of:  
RALPH BRINKHOF ET AL.

Confirmation Number: 4827

Application No.: 10/797,570

Group Art Unit: 2851

Filed: March 11, 2004

Examiner: Kim, Peter B.

For: ASSEMBLY COMPRISING A SENSOR FOR DETERMINING AT LEAST ONE  
OF TILT AND HEIGHT OF A SUBSTRATE, A METHOD THEREFOR AND A  
LITHOGRAPHIC PROJECTION APPARATUS

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT/RESPONSE TRANSMITTAL**

Transmitted herewith is an amendment/response for this application.

**FEES**

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been  
calculated as shown below:


	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDIT. FEE
TOTAL	30	-	30	= 0	\$ 50.00 = \$ 0.00
INDEP.	6	-	6	= 0	\$ 200.00 = \$ 0.00
FIRST PRESENTATION OF MULTIPLE DEP. CLAIM				+	\$ 360.00 = \$ 0.00
TOTAL ADDITIONAL CLAIM FEE					\$ 0.00
GRAND TOTAL					\$ 0.00

**FEE PAYMENT**

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No.  
033975. Charge any additional fees required by this paper or credit any  
overpayment in the manner authorized above.

Date: January 3, 2006

PILLSBURY WINTHROP SHAW PITTMAN LLP  
P.O. Box 10500  
McLean, VA 22102  
703 770.7807

  
SEAN L. INGRAM  
Reg. No. 48283



Attorney Docket: 081468-0308684  
Client Reference: P-1525.010-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of: BRINKHOF ET AL. Confirmation Number: 4827

Application No.: 10/797,570

Group Art Unit: 2851

Filed: March 11, 2004

Examiner: Kim, Peter B.

Title: ASSEMBLY COMPRISING A SENSOR FOR DETERMINING AT LEAST ONE OF  
TILT AND HEIGHT OF A SUBSTRATE, A METHOD THEREFOR AND A  
LITHOGRAPHIC PROJECTION APPARATUS

AMENDMENT

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

. In response to the Office Action dated October 28, 2005, please amend the above-identified application as follows: